



**The Veritas Farms**  
1512 E. Broward Blvd #300  
Ft. Lauderdale, Florida 33301  
www.theveritasfarms.com




**1000mg Lav Euc Salve - VF (LE1003181 exp 09/23)**

<b>Order ID#:</b>	<b>20210323-714</b>	Lab Code#:	LC-20210323-1806
<b>Product Type:</b>	Personal care	Date sampled:	18-Mar-2021
<b>Lot Number:</b>	LE1003181 exp 09/23	Date received:	25-Mar-2021
<b>Batch Number:</b>	S-1000mg-LE-03.12.21	Completed:	13-Apr-2021
		Report expires:	13-Apr-2022

**SAFETY ANALYSIS**

<b>Microbials</b> <b>PASS</b>	<b>Mycotoxins</b> <b>PASS</b>	<b>Pesticides</b> <b>PASS</b>	<b>Metals</b> <b>PASS</b>	<b>Solvents</b> <b>PASS</b>
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------


**CANNABINOID PROFILE**



**Fill Weight (g)**  
57

**Total THC**  
**Pass**

**TOP TERPENES PROFILE (ppm)**



Terpene	Result (ppm)	Result (%)
<i>Eucalyptol</i>	805.650	0.08057
<i>Linalool</i>	308.670	0.03087
<i>β-Ocimene 1</i>	122.210	0.01222
<i>D-Limonene</i>	116.080	0.01161
<i>β-Ocimene 2</i>	106.410	0.01064
<i>β-Myrcene</i>	74.350	0.00744

**FILTH AND FOREIGN MATERIAL**

**PASS**

**Analysis Batch:** WO-21032510  
**Analysis Date:** 13-Apr-2021  
**Instrument:** Microscope I-39

**WATER DETERMINATIONS**

**Analysis Batch:** WO-21032505  
**Analysis Date:** 12-Apr-2021  
**Result:** 0.5764  
**Instrument:** I40

Water activity	% Moisture
0.5764	1.89%

**Comments:**

None.

**Authorization**



Steven Perez, Laboratory Director  
Approval Date: 13-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

## CANNABINOIDS

Analyte	%	mg/g	mg/unit	LOD (%)
THCA-A	0.0132	0.1317	7.508	0.0006
Δ9-THC	0.0441	0.4410	25.14	0.0006
CBDA	ND	ND	ND	0.0006
CBD	1.50	15.02	856.4	0.0060
CBN	0.0044	0.04403	2.510	0.0006
CBDV	0.0090	0.08976	5.116	0.0006
Δ8-THC	ND	ND	ND	0.0006
THCV	ND	ND	ND	0.0006
CBG	0.0783	0.7830	44.63	0.0006
CBGA	ND	ND	ND	0.0006
CBC	0.0409	0.4087	23.29	0.0006

**Total THC<sup>a</sup>** 0.56 mg/g  
0.056% **PASS**

**Total CBD<sup>b</sup>** 15 mg/g  
856 mg/unit

**TOTAL<sup>c</sup>** 16.9 mg/g  
965 mg/unit

**Analysis Batch:** WO-21032503  
**Analysis Date:** Monday, March 29, 2021  
**Test Method:** SOP 6.6 (HPLC)  
**Instrument:** Agilent HPLC Instrument 33

<sup>a</sup> Total THC is calculated as THC + (THCA × 0.877).  
<sup>b</sup> Total CBD is calculated as CBD + (CBDA × 0.877).  
<sup>c</sup> Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

## TERPENES

Analyte	Result (µg/g)	Result (%)
α-Bisabolol	6.530	0.00065
α-Humulene	8.370	0.00084
α-Pinene	43.31	0.00433
α-Terpinene	17.14	0.00171
β-Caryophyllene	27.08	0.00271
β-Myrcene	74.35	0.00744
β-Ocimene 1	122.2	0.01222
β-Ocimene 2	106.4	0.01064
β-Pinene	10.00	0.00100
Camphene	6.510	0.00065
Caryophyllene-oxide	4.980	0.00050
δ-3-Carene	21.62	0.00216

Analyte	Result (µg/g)	Result (%)
D-Limonene	116.1	0.01161
Eucalyptol	805.7	0.08057
γ-Terpinene	17.31	0.00173
Geraniol	ND	ND
Guaiol	6.270	0.00063
Isopulegol	ND	ND
Linalool	308.7	0.03087
Nerolidol 1	ND	ND
Nerolidol 2	2.940	0.00029
p-Cymene	28.05	0.00281
Terpinolene	5.920	0.00059

**Total Terpenes:** 1739.40 0.1739  
**Total (µg/unit):** 99145.80

LOD = 0.0002%

**Analysis Batch:** WO-21032509  
**Analysis Date:** Monday, March 29, 2021

**Test Method:** SOP 6.9  
**Instrument:** Agilent GC-FID/MS, Instrument 36

### Comments:

None.

### Authorization



Steven Perez, Laboratory Director  
Approval Date: 13-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

### PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chloromequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Fonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Paclobutrazol	0.10	ND - Pass
Pentachloronitrobenzer	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

\* Denotes analysis by GC-MS/MS

**Analysis Batch:** WO-21032506  
**Analysis Date (LC):** Thursday, April 01, 2021  
**Analysis Date (GC):** Thursday, March 25, 2021

**Test Method:** SOP 6.7  
**Instrument:** Agilent LC-MS/MS, Instrument 32  
**Instrument:** Agilent GC-MS/MS, Instrument 34

**Comments:**

None.

**Authorization**



Steven Perez, Laboratory Director  
 Approval Date: 13-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

## MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

\* Total Aflatoxin includes B1, B2, G1 and G2.

**Analysis Batch:** WO-21032506  
**Analysis Date:** Thursday, April 01, 2021

**Test Method:** SOP 6.7  
**Instrument:** Agilent LC-MS/MS, Instrument 33

## RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	104 - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	20.1 - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

LOD = 20 µg/g

**Analysis Batch:** WO-21032508  
**Analysis Date:** Thursday, April 01, 2021

**Test Method:** SOP 6.8  
**Instrument:** Agilent GC-FID/MS, Instrument 36

## MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Present/Absent in 1 g
Salmonella	Pass	Absent	Present/Absent in 1 g
Listeria	Pass	Absent	Present/Absent in 1 g

**Analysis Batch:** WO-21032511  
**Analysis Date:** Friday, March 26, 2021

**Test Method:** SOP 6.11 (qPCR)  
**Instrument:** Agilent AriaMX, Instrument 43

## HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

**Analysis Batch:** WO-21032507  
**Analysis Date:** Tuesday, April 13, 2021

**Test Method:** SOP 6.10  
**Instrument:** Agilent ICP/MS, Instrument 37

### Comments:

None.

### Authorization



Steven Perez, Laboratory Director  
 Approval Date: 13-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -