



The Veritas Farms

1512 E. Broward Blvd #300
Ft. Lauderdale, Florida 33301
www.theveritasfarms.com




400mg Lav Euc Salve - VF (LE4003101-exp 09/23)

Order ID#:	20210311-685	Lab Code#:	LC-20210311-1725
Product Type:	Personal care	Date sampled:	10-Mar-2021
Lot Number:	LE4003101-exp 09/23	Date received:	15-Mar-2021
Batch Number:	S-400mg-LE-03.08.21-CZ	Completed:	30-Mar-2021
		Report expires:	30-Mar-2022

SAFETY ANALYSIS

Microbials PASS	Mycotoxins PASS	Pesticides PASS	Metals PASS	Solvents PASS
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------

CANNABINOID PROFILE



Fill Weight (g)
57

Total THC
Pass

TOP TERPENES PROFILE (ppm)



Terpene	Result (ppm)	Result (%)
<i>Eucalyptol</i>	560.920	0.05609
<i>Linalool</i>	211.270	0.02113
<i>Isopulegol</i>	85.710	0.00857
<i>D-Limonene</i>	75.850	0.00759
<i>β-Ocimene 2</i>	57.350	0.00574
<i>α-Terpinene</i>	47.380	0.00474

FILTH AND FOREIGN MATERIAL

PASS

Analysis Batch: WO-21031506
Analysis Date: 18-Mar-2021
Instrument: Microscope I-39

WATER DETERMINATIONS

Water activity **% Moisture**

Analysis Batch: WO-21031507
Analysis Date: 16-Mar-2021 17-Mar-2021
Result: 0.4026 2.88%
Instrument: I40 E15

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 30-Mar-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

CANNABINOIDS

Analyte	%	mg/g	mg/unit	LOD (%)
THCA-A	0.0294	0.2943	16.776	0.0006
Δ9-THC	0.0337	0.3366	19.19	0.0006
CBDA	ND	ND	ND	0.0006
CBD	0.633	6.329	360.8	0.0006
CBN	ND	ND	ND	0.0006
CBDV	ND	ND	ND	0.0006
Δ8-THC	ND	ND	ND	0.0006
THCV	ND	ND	ND	0.0006
CBG	0.0395	0.3953	22.53	0.0006
CBGA	ND	ND	ND	0.0006
CBC	0.0225	0.2254	12.85	0.0006

Total THC^a 0.59 mg/g
0.059% **PASS**

Total CBD^b 6.33 mg/g
361 mg/unit

TOTAL^c 7.58 mg/g
432 mg/unit

Analysis Batch: WO-21031503
Analysis Date: Monday, March 15, 2021
Test Method: SOP 6.6 (HPLC)
Instrument: Agilent HPLC Instrument 33

^a Total THC is calculated as THC + (THCA × 0.877).
^b Total CBD is calculated as CBD + (CBDA × 0.877).
^c Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

TERPENES

Analyte	Result (µg/g)	Result (%)
α-Bisabolol	5.590	0.00056
α-Humulene	6.580	0.00066
α-Pinene	31.18	0.00312
α-Terpinene	47.38	0.00474
β-Caryophyllene	18.00	0.00180
β-Myrcene	38.08	0.00381
β-Ocimene 1	ND	ND
β-Ocimene 2	57.35	0.00574
β-Pinene	9.520	0.00095
Camphene	6.590	0.00066
Caryophyllene-oxide	6.090	0.00061
δ-3-Carene	9.240	0.00092

LOD = 0.0002%

Analyte	Result (µg/g)	Result (%)
D-Limonene	75.85	0.00759
Eucalyptol	560.9	0.05609
γ-Terpinene	14.28	0.00143
Geraniol	ND	ND
Guaiol	6.200	0.00062
Isopulegol	85.71	0.00857
Linalool	211.3	0.02113
Nerolidol 1	6.240	0.00062
Nerolidol 2	6.320	0.00063
p-Cymene	22.43	0.00224
Terpinolene	5.850	0.00059

Total Terpenes: 1230.67 0.1231
Total (µg/unit): 70148.19

Analysis Batch: WO-21031505
Analysis Date: Thursday, March 18, 2021

Test Method: SOP 6.9
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 30-Mar-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	0.011 - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Fonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	0.037 - Pass
Paclbutrazol	0.10	ND - Pass
Pentachloronitrobenzer	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-21031508
Analysis Date (LC): Wednesday, March 17, 2021
Analysis Date (GC): Tuesday, March 16, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21031508
Analysis Date: Wednesday, March 17, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 33

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 30-Mar-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	ND - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

LOD = 20 µg/g

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

Analysis Batch: WO-21031510
Analysis Date: Thursday, March 18, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Present/Absent in 1 g
Salmonella	Pass	Absent	Present/Absent in 1 g
Listeria	Pass	Absent	Present/Absent in 1 g

Analysis Batch: WO-21031504
Analysis Date: Tuesday, March 16, 2021

Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-21031509
Analysis Date: Wednesday, March 24, 2021

Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 30-Mar-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -