



The Veritas Farms

1512 E. Broward Blvd #300
Ft. Lauderdale, Florida 33301
www.theveritasfarms.com



400mg Lav Euc Salve - VF (LE4003301 exp 09/23)


| | | | |
|----------------------|---------------------|-----------------|------------------|
| Order ID#: | 20210405-745 | Lab Code#: | LC-20210405-1906 |
| Product Type: | Personal care | Date sampled: | 30-Mar-2021 |
| Lot Number: | LE4003301 exp 09/23 | Date received: | 6-Apr-2021 |
| Batch Number: | S-400mg-LE-03.09.21 | Completed: | 21-Apr-2021 |
| | | Report expires: | 21-Apr-2022 |



SAFETY ANALYSIS

| | | | | |
|----------------------------------|----------------------------------|----------------------------------|------------------------------|--------------------------------|
| Microbials PASS | Mycotoxins PASS | Pesticides PASS | Metals PASS | Solvents PASS |
|----------------------------------|----------------------------------|----------------------------------|------------------------------|--------------------------------|

CANNABINOID PROFILE



Fill Weight (g)
57

Total THC
Pass

TOP TERPENES PROFILE (ppm)



| Terpene | Result (ppm) | Result (%) |
|--------------------|--------------|------------|
| <i>Eucalyptol</i> | 545.82 | 0.05458 |
| <i>Linalool</i> | 227.01 | 0.02270 |
| <i>D-Limonene</i> | 75.660 | 0.00757 |
| <i>α-Terpinene</i> | 44.830 | 0.00448 |
| <i>Isopulegol</i> | 40.660 | 0.00407 |
| <i>β-Myrcene</i> | 37.660 | 0.00377 |

FILTH AND FOREIGN MATERIAL

PASS

Analysis Batch: WO-21040607
Analysis Date: 8-Apr-2021
Instrument: Microscope I-39

WATER DETERMINATIONS

Water activity **% Moisture**

Analysis Batch: WO-21040612
Analysis Date: 7-Apr-2021 7-Apr-2021
Result: 0.2937 3.67%
Instrument: I40 E15

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 21-Apr-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

CANNABINOIDS

| Analyte | % | mg/g | mg/unit | LOD (%) |
|---------|--------|--------|---------|---------|
| THCA-A | 0.0138 | 0.1380 | 7.864 | 0.0006 |
| Δ9-THC | 0.0241 | 0.2405 | 13.71 | 0.0006 |
| CBDA | ND | ND | ND | 0.0006 |
| CBD | 0.621 | 6.209 | 353.9 | 0.0060 |
| CBN | ND | ND | ND | 0.0006 |
| CBDV | ND | ND | ND | 0.0006 |
| Δ8-THC | ND | ND | ND | 0.0006 |
| THCV | ND | ND | ND | 0.0006 |
| CBG | 0.0310 | 0.3100 | 17.67 | 0.0006 |
| CBGA | ND | ND | ND | 0.0006 |
| CBC | 0.0220 | 0.2201 | 12.55 | 0.0006 |

Total THC^a 0.36 mg/g
0.036% **PASS**

Total CBD^b 6 mg/g
354 mg/unit

TOTAL^c 7.1 mg/g
406 mg/unit

Analysis Batch: WO-21040609
Analysis Date: Thursday, April 08, 2021
Test Method: SOP 6.6 (HPLC)
Instrument: Agilent HPLC Instrument 33

^a Total THC is calculated as THC + (THCA × 0.877).
^b Total CBD is calculated as CBD + (CBDA × 0.877).
^c Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

TERPENES

| Analyte | Result (µg/g) | Result (%) |
|---------------------|---------------|------------|
| α-Bisabolol | 5.060 | 0.00051 |
| α-Humulene | 4.000 | 0.00040 |
| α-Pinene | 28.25 | 0.00283 |
| α-Terpinene | 44.83 | 0.00448 |
| β-Caryophyllene | 14.80 | 0.00148 |
| β-Myrcene | 37.66 | 0.00377 |
| β-Ocimene 1 | ND | ND |
| β-Ocimene 2 | ND | ND |
| β-Pinene | 6.630 | 0.00066 |
| Camphene | 3.640 | 0.00036 |
| Caryophyllene-oxide | ND | ND |
| δ-3-Carene | 15.19 | 0.00152 |

| Analyte | Result (µg/g) | Result (%) |
|-------------|---------------|------------|
| D-Limonene | 75.66 | 0.00757 |
| Eucalyptol | 545.8 | 0.05458 |
| γ-Terpinene | 11.23 | 0.00112 |
| Geraniol | 9.480 | 0.00095 |
| Guaiol | 2.540 | 0.00025 |
| Isopulegol | 40.66 | 0.00407 |
| Linalool | 227.0 | 0.02270 |
| Nerolidol 1 | ND | ND |
| Nerolidol 2 | ND | ND |
| p-Cymene | 20.46 | 0.00205 |
| Terpinolene | 2.950 | 0.00030 |

Total Terpenes: 1095.87 0.1096
Total (µg/unit): 62464.59

LOD = 0.0002%

Analysis Batch: WO-21040614
Analysis Date: Tuesday, April 13, 2021

Test Method: SOP 6.9
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 21-Apr-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

PESTICIDES

| Analyte | Action Level | Result (µg/g) |
|---------------------|--------------|---------------|
| Abamectin | 0.30 | ND - Pass |
| Acephate | 3.00 | ND - Pass |
| Acequinocyl | 2.00 | ND - Pass |
| Acetamiprid | 3.00 | ND - Pass |
| Aldicarb | 0.10 | ND - Pass |
| Azoxystrobin | 3.00 | ND - Pass |
| Bifenazate | 3.00 | ND - Pass |
| Carbaryl | 0.50 | ND - Pass |
| Carbofuran | 0.10 | ND - Pass |
| Chlorantraniliprole | 3.00 | ND - Pass |
| Chlorfenapyr | 0.05 | ND - Pass |
| Chlorpyrifos | 0.10 | ND - Pass |
| Coumaphos | 0.10 | ND - Pass |
| Daminozide | 0.10 | ND - Pass |
| Diazinon | 0.20 | ND - Pass |
| Dichlorvos | 0.10 | ND - Pass |
| Dimethoate | 0.10 | ND - Pass |
| Dimethomorph (I/II) | 3.00 | ND - Pass |
| Ethoprophos | 0.10 | ND - Pass |
| Etofenprox | 0.10 | ND - Pass |
| Etoazole | 1.50 | ND - Pass |
| Fenhexamid | 3.00 | ND - Pass |
| Fenoxycarb | 0.10 | ND - Pass |
| Fenpyroximate | 2.00 | ND - Pass |
| Fipronil | 0.10 | ND - Pass |
| Flonicamid | 2.00 | ND - Pass |
| Fludioxonil | 3.00 | ND - Pass |

LOD = 0.01 µg/g

Analysis Batch: WO-21040611
Analysis Date: Wednesday, April 14, 2021

| Analyte | Action Level | Result (µg/g) |
|--------------------|--------------|---------------|
| Hexythiazox | 2.00 | ND - Pass |
| Imazalil | 0.10 | ND - Pass |
| Imidacloprid | 1.00 | ND - Pass |
| Kresoxim methyl | 1.00 | ND - Pass |
| Malathion | 3.00 | ND - Pass |
| Metalaxyl | 0.10 | ND - Pass |
| Methiocarb | 0.10 | ND - Pass |
| Methomyl | 0.10 | ND - Pass |
| Mevinphos (I/II) | 0.10 | ND - Pass |
| Myclobutanil | 3.00 | ND - Pass |
| Naled | 0.50 | ND - Pass |
| Oxamyl | 1.50 | ND - Pass |
| Phosmet | 0.20 | ND - Pass |
| Piperonyl butoxide | 3.00 | ND - Pass |
| Prallethrin | 0.40 | ND - Pass |
| Propiconazole | 1.00 | ND - Pass |
| Propoxur | 2.10 | ND - Pass |
| Pyrethrins | 1.00 | ND - Pass |
| Pyridaben | 3.00 | ND - Pass |
| Spinetoram (J/L) | 3.00 | ND - Pass |
| Spinosad A + D | 3.00 | ND - Pass |
| Spiromesifen | 3.00 | ND - Pass |
| Spirotetramat | 3.00 | ND - Pass |
| Spiroxamine (I/II) | 0.10 | ND - Pass |
| Tebuconazole | 1.00 | ND - Pass |
| Thiacloprid | 0.10 | ND - Pass |
| Thiamethoxam | 1.00 | ND - Pass |
| Trifloxystrobin | 3.00 | ND - Pass |

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

MYCOTOXINS

| Analyte | Report | Result | Action Limit | LOD | Unit |
|------------------|--------|--------|--------------|-------|------|
| Aflatoxin, Total | Pass | ND | 0.020 | 0.005 | µg/g |
| Ochratoxin A | Pass | ND | 0.020 | 0.005 | µg/g |

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21040611
Analysis Date: Wednesday, April 14, 2021
Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 33

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 21-Apr-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

RESIDUAL SOLVENTS

| Analyte | Action Level | Result (µg/g) |
|--------------------|--------------|---------------|
| 1,2-Dichloroethane | 5 | ND - Pass |
| Acetone | 5000 | ND - Pass |
| Acetonitrile | 410 | ND - Pass |
| Benzene | 2 | ND - Pass |
| Butane | 2000 | ND - Pass |
| Chloroform | 60 | ND - Pass |
| Ethanol | 5000 | ND - Pass |
| Ethyl Acetate | 5000 | ND - Pass |
| Ethyl Ether | 5000 | ND - Pass |
| Ethylene Oxide | 5 | ND - Pass |

| Analyte | Action Level | Result (µg/g) |
|--------------------|--------------|---------------|
| Heptane | 5000 | ND - Pass |
| Hexane | 290 | ND - Pass |
| Isopropyl Alcohol | 500 | ND - Pass |
| Methanol | 3000 | ND - Pass |
| Methylene Chloride | 600 | ND - Pass |
| Pentane | 5000 | ND - Pass |
| Propane | 2100 | ND - Pass |
| Toluene | 890 | ND - Pass |
| Trichloroethylene | 80 | ND - Pass |
| Xylenes, Total | 2170 | ND - Pass |

LOD = 20 µg/g

Analysis Batch: WO-21040613
Analysis Date: Tuesday, April 13, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

MICROBIAL CONTAMINANTS

| Test | Report | Result | Specification |
|-------------------------------------|--------|--------|-----------------------|
| Shiga toxin-producing E.coli (STEC) | Pass | Absent | Present/Absent in 1 g |
| Salmonella | Pass | Absent | Present/Absent in 1 g |
| Listeria | Pass | Absent | Present/Absent in 1 g |

Analysis Batch: WO-21040610
Analysis Date: Friday, April 09, 2021

Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

HEAVY METALS

| Element | Report | Result | Action Limit | LOD | Unit |
|---------|--------|--------|--------------|-------|------|
| Lead | Pass | ND | 0.50 | 0.050 | µg/g |
| Arsenic | Pass | ND | 1.5 | 0.050 | µg/g |
| Mercury | Pass | ND | 3.0 | 0.005 | µg/g |
| Cadmium | Pass | ND | 0.50 | 0.050 | µg/g |

Analysis Batch: WO-21040608
Analysis Date: Wednesday, April 14, 2021

Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 21-Apr-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -