



The Veritas Farms
1512 E. Broward Blvd #300
Ft. Lauderdale, Florida 33301
www.theveritasfarms.com



400mg Lav Euc Salve - VF (LE4004291 exp 10/23)


Order ID#:	20210505-845	Lab Code#:	LC-20210505-2160
Product Type:	Topical	Date sampled:	29-Apr-2021
Lot Number:	LE4004291 exp 10/23	Date received:	6-May-2021
Batch Number:	S-400mg-LE-04.09.21	Completed:	10-May-2021
		Report expires:	10-May-2022



SAFETY ANALYSIS

Microbials PASS	Mycotoxins PASS	Pesticides PASS	Metals PASS	Solvents PASS
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------


CANNABINOID PROFILE



Fill Weight (g)
57

Total THC
Pass

TOP TERPENES PROFILE (ppm)



Terpene	Result (ppm)	Result (%)
<i>Eucalyptol</i>	402.04	0.04020
<i>Linalool</i>	158.28	0.01583
<i>D-Limonene</i>	58.800	0.00588
<i>β-Ocimene 2</i>	55.910	0.00559
<i>β-Myrcene</i>	40.940	0.00409
<i>α-Terpinene</i>	35.560	0.00356

FILTH AND FOREIGN MATERIAL

PASS

Analysis Batch: WO-21050606
Analysis Date: 10-May-2021
Instrument: Microscope I-39

WATER DETERMINATIONS

Water activity **% Moisture**

Analysis Batch: WO-21050605
Analysis Date: 10-May-2021 10-May-2021
Result: 0.4442 0.73%
Instrument: I40 E15

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 19-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

CANNABINOIDS

Analyte	%	mg/g	mg/unit	LOD (%)
THCA-A	ND	ND	ND	0.006
Δ9-THC	0.0224	0.2238	12.75	0.006
CBDA	ND	ND	ND	0.006
CBD	0.645	6.447	367.5	0.006
CBN	ND	ND	ND	0.006
CBDV	0.0072	0.07231	4.122	0.006
Δ8-THC	ND	ND	ND	0.006
THCV	ND	ND	ND	0.006
CBG	0.0351	0.3506	19.98	0.006
CBGA	ND	ND	ND	0.006
CBC	0.0234	0.2339	13.33	0.006

Total THC^a 0.22 mg/g
0.022% **PASS**

Total CBD^b 6 mg/g
368 mg/unit

TOTAL^c 7.3 mg/g
418 mg/unit

Analysis Batch: WO-21050604
Analysis Date: Friday, May 07, 2021
Test Method: SOP 6.6 (HPLC)
Instrument: Agilent HPLC Instrument 33

^a Total THC is calculated as THC + (THCA × 0.877).
^b Total CBD is calculated as CBD + (CBDA × 0.877).
^c Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

TERPENES

Analyte	Result (µg/g)	Result (%)
α-Bisabolol	11.05	0.00111
α-Humulene	6.230	0.00062
α-Pinene	24.84	0.00248
α-Terpinene	35.56	0.00356
β-Caryophyllene	14.60	0.00146
β-Myrcene	40.94	0.00409
β-Ocimene 1	ND	ND
β-Ocimene 2	55.91	0.00559
β-Pinene	7.870	0.00079
Camphene	6.020	0.00060
Caryophyllene-oxide	ND	ND
δ-3-Carene	12.43	0.00124

LOD = 0.0002%

Analyte	Result (µg/g)	Result (%)
D-Limonene	58.80	0.00588
Eucalyptol	402.0	0.04020
γ-Terpinene	11.46	0.00115
Geraniol	23.48	0.00235
Guaiol	6.070	0.00061
Isopulegol	23.28	0.00233
Linalool	158.3	0.01583
Nerolidol 1	6.300	0.00063
Nerolidol 2	6.670	0.00067
p-Cymene	18.17	0.00182
Terpinolene	5.740	0.00057

Total Terpenes: 935.74 0.0936
Total (µg/unit): 53337.18

Analysis Batch: WO-21050611
Analysis Date: Sunday, May 09, 2021

Test Method: SOP 6.9
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 19-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlorpyrifos	0.10	ND - Pass
Coumaphos	0.10	0.01 - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Flonicamid	2.00	ND - Pass
Fludioxonil	3.00	ND - Pass

LOD = 0.01 µg/g

Analysis Batch: WO-21050609
Analysis Date: Friday, May 07, 2021

Analyte	Action Level	Result (µg/g)
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	1.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	3.00	ND - Pass
Metalaxyl	0.10	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	1.50	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	2.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21050609
Analysis Date: Friday, May 07, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 33

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 19-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	27.6 - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

LOD = 20 µg/g

Analysis Batch: WO-21050610
Analysis Date: Saturday, May 08, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Absent in 1 g
Salmonella	Pass	Absent	Absent in 1 g
Listeria	Pass	Absent	Absent in 1 g

Analysis Batch: WO-21050608
Analysis Date: Friday, May 07, 2021

Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-21050607
Analysis Date: Monday, May 10, 2021

Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 19-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -