



The Veritas Farms
1512 E. Broward Blvd #300
Ft. Lauderdale, Florida 33301
www.theveritasfarms.com



400mg Cooling Menthol Salve (CM4009240 exp 03/23)

Order ID#:	20200925-244	Lab Code#:	LC-20200925-568
Product Type:	Topical	Sample date:	24-Sep-2020
Lot Number:	CM4009240 exp 03/23	Date received:	28-Sep-2020
Batch Number:	S-400mg-CM-7.19.20	Completed:	20-Oct-2020
Unit Amount (g):	57	Report expires:	20-Oct-2021

SAFETY ANALYSIS

Microbials PASS	Mycotoxins PASS	Pesticides PASS	Metals PASS	Solvents PASS
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------

CANNABINOID PROFILE

Total CBD - mg/unit -	370
0.65% Total CBD	PASS Total THC
Total Potency - mg/unit -	420

TOP TERPENES PROFILE (ppm)



Terpene	Result (ppm)	Result (%)
<i>Nerolidol 2</i>	33.386	0.00334
<i>β-Caryophyllene</i>	13.900	0.00139
<i>δ-3-Carene</i>	10.680	0.00107
<i>α-Humulene</i>	4.532	0.00045
<i>Caryophyllene-oxide</i>	2.990	0.00030
<i>β-Myrcene</i>	2.634	0.00026

FILTH AND FOREIGN MATERIAL

PASS

Analysis Batch: WO-20092910
Analysis Date: 1-Oct-2020
Instrument: Microscope I-39

WATER DETERMINATIONS

	Water activity	% Moisture
Analysis Batch:	WO-20092906	
Analysis Date:	29-Sep-2020	29-Sep-2020
Result:	0.4247	3.77%
Instrument:	I40	E15

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director
Approval Date: 20-Oct-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

CANNABINOIDS

Analyte	%	mg/g	mg/unit	LOD (%)
THCA-A	0.0030	0.0300	1.71	0.0006
Δ9-THC	0.0251	0.2513	14.33	0.0006
CBDA	ND	ND	ND	0.0006
CBD	0.649	6.487	369.8	0.0006
CBN	ND	ND	ND	0.0006
CBDV	0.00365	0.03646	2.079	0.0006
Δ8-THC	0.00147	0.01470	0.838	0.0006
THCV	ND	ND	ND	0.0006
CBG	0.0314	0.3138	17.89	0.0006
CBGA	ND	ND	ND	0.0006
CBC	0.0243	0.2433	13.87	0.0006

Total THC^a
0.03% **PASS**

Total CBD^b 6.5 mg/g
370 mg/unit

TOTAL^c 7.4 mg/g
420 mg/unit

Analysis Batch: WO-20092902

Analysis Date: 29-September-2020

Test Method: SOP 6.6 (HPLC)

Instrument: Agilent HPLC Instrument 33

^a Total THC is calculated as THC + (THCA × 0.877).

^b Total CBD is calculated as CBD + (CBDA × 0.877).

^c Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

TERPENES

Analyte	Result (µg/g)	Result (%)
α-Bisabolol	1.418	0.00014
α-Humulene	4.532	0.00045
α-Pinene	0.0900	0.00001
α-Terpinene	0.1800	0.00002
β-Caryophyllene	13.90	0.00139
β-Myrcene	2.634	0.00026
β-Ocimene 1	ND	ND
β-Ocimene 2	0.302	0.00003
β-Pinene	0.1380	0.00001
Camphene	ND	ND
Caryophyllene-oxide	2.990	0.00030
δ-3-Carene	10.68	0.00107

LOD = 0.0002%

Analyte	Result (µg/g)	Result (%)
δ-Limonene	0.7860	0.00008
Eucalyptol	2.020	0.00020
γ-Terpinene	0.3000	0.00003
Geraniol	ND	ND
Guaiol	ND	ND
Isopulegol	ND	ND
Linalool	2.404	0.00024
Nerolidol 1	ND	ND
Nerolidol 2	33.39	0.00334
p-Cymene	ND	ND
Terpinolene	0.1940	0.00002

Total Terpenes: 75.95 0.00760

Total (µg/unit): 4329.4

Analysis Batch: WO-20092909

Analysis Date: Thursday, October 01, 2020

Test Method: SOP 6.9

Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director

Approval Date: 20-Oct-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlorpyrifos	0.10	ND - Pass
Coumaphos	0.10	0.027 - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Flonicamid	2.00	ND - Pass
Fludioxonil	3.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	1.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	3.00	ND - Pass
Metalaxyl	0.10	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	1.50	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	2.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

Analysis Batch: WO-20092907
Analysis Date: Thursday, October 01, 2020

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-20092907
Analysis Date: Thursday, October 01, 2020

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director
 Approval Date: 20-Oct-2020

Test results are based solely upon the test article submitted to Americana Laboratories, LLC in the condition it was received. Americana Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americana Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	ND - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

Analysis Batch: WO-20092908
Analysis Date: Thursday, October 01, 2020

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Presence/Absence in 1 g
Escherichia coli (E. coli)	Pass	Absent	Presence/Absence in 1 g
Salmonella	Pass	Absent	Presence/Absence in 1 g
Listeria	Pass	Absent	Presence/Absence in 1 g

Analysis Batch: WO-20092804
Analysis Date: Tuesday, September 29, 2020

Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 38

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-20092901
Analysis Date: Friday, October 16, 2020

Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director
 Approval Date: 20-Oct-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -